

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results

Terms	Documents
L82 and (((specif\$ or defin\$) near2 (layout\$1 or position\$1)) same (child adj (element\$1 or attribute\$1)))	1

Database:

US Pre-Grant Publication Full-Text Da
US Patents Full-Text Database
US Patents OCR Backfile
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

Search:

Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Tuesday, August 03, 2010

Purge Queries

Printable Copy

Create Case

Set Name

Side by
Side

Query

Hit Count

Set Name
Result Set

Set Name
Grid

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L87

L82 and (((specif\$ or defin\$) near2 (layout
\$1 or position\$1)) same (child adj (element
\$1 or attribute\$1)))

1

L87

L87

<u>L86</u>	(layout\$ same condition\$1 same (description adj file\$1) same ((specif\$ or defin\$) near2 (element\$1 or attribute\$1)))	0	<u>L86</u>	<u>L86</u>
<u>L85</u>	L82 and (parameter\$1 same condition\$1 same satisf\$)	2	<u>L85</u>	<u>L85</u>
<u>L84</u>	L82 and (control\$ near2 (layout\$1 or position\$1))	2	<u>L84</u>	<u>L84</u>
<u>L83</u>	L82 and (parameter\$1 same (control\$ near2 layout\$1))	0	<u>L83</u>	<u>L83</u>
<u>L82</u>	((specif\$ or defin\$) near2 element\$1) same (condition\$ near5 layout\$1)	34	<u>L82</u>	<u>L82</u>
<u>L81</u>	(display\$ adj description adj file\$1) same ((specif\$ or defin\$) near2 element\$1)	1	<u>L81</u>	<u>L81</u>
<u>L80</u>	L74 and (condition\$1 same rule\$1 same layout\$1 same (element\$1 or attribute\$1))	0	<u>L80</u>	<u>L80</u>
<u>L79</u>	L78 and (control\$ near2 layout\$1)	8	<u>L79</u>	<u>L79</u>
<u>L78</u>	L76 and ((specif\$ or defin\$) near2 element \$1)	32	<u>L78</u>	<u>L78</u>
<u>L77</u>	L76 and (((specif\$ or defin\$) near2 element \$1) same (description adj language))	0	<u>L77</u>	<u>L77</u>
<u>L76</u>	L59 and (element\$ near2 layout\$1)	57	<u>L76</u>	<u>L76</u>
<u>L75</u>	L74 and (display\$ adj description adj file \$1)	1	<u>L75</u>	<u>L75</u>
<u>L74</u>	L39 and L63	43	<u>L74</u>	<u>L74</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>				
<u>L73</u>	L44 and L59	33	<u>L73</u>	<u>L73</u>
<u>L72</u>	20050055635	2	<u>L72</u>	<u>L72</u>

DB=USPT,PGPB; PLUR=YES; OP=OR

<u>L71</u>	('5263132' '5390354' '5438512' '5581670' '5600771' '5621873' '5630120' ' '5630125' '5669005' '5669007' '5673401' '5680619' '5701500' '5708806' ' '5717945' '5822587' '5860073' '5878421' '5911145' '5956737' '6043817' ' '6044384' '6199082' '6230173' '6366918')![pn]	25	<u>L71</u>	<u>L71</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>				
<u>L70</u>	(6,023,714 6,928,610).pn.	2	<u>L70</u>	<u>L70</u>
<i>DB=USPT,PGPB; PLUR=YES; OP=OR</i>				
<u>L69</u>	('5214755' '5337406' '5381523' '5459827' '5475805' '5555362' '5577189' ' '5644776' '5649216' '5671429' '5745122' '5748963' '5845303' '5953733' ' '6105044' '6161114' '6185589' '6301213' '6446100')![pn]	19	<u>L69</u>	<u>L69</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>				
<u>L68</u>	20050055635 20050094206	4	<u>L68</u>	<u>L68</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>				
<u>L67</u>	(6826727 or 7028306).pn.	2	<u>L67</u>	<u>L67</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>				
<u>L66</u>	((((defin\$ or specif\$) near2 (element\$ or child)) and layout and (style or color) and table).clm.	18	<u>L66</u>	<u>L66</u>
<u>L65</u>	L64 and ((layout near2 (defin\$ or specif\$)) with table with (display\$ or render\$))	16	<u>L65</u>	<u>L65</u>
<u>L64</u>	L63 and ((defin\$ or specif\$) with layout with content)	187	<u>L64</u>	<u>L64</u>
<u>L63</u>	separat\$ same content same layout same display\$	569	<u>L63</u>	<u>L63</u>
<u>L62</u>	(separat\$ with content with layout with display\$).ti.	1	<u>L62</u>	<u>L62</u>
<i>DB=USPT,PGPB; PLUR=YES; OP=OR</i>				

<u>L61</u>	('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276')![pn]	7	<u>L61</u>	<u>L61</u>
------------	------------------------------------------------------------------------------------------------	---	------------	------------

DB=PGPB,USPT; PLUR=YES; OP=OR

<u>L60</u>	L59 and (((defin\$ or specif\$) near3 element \$1) same layout same interface)	14	<u>L60</u>	<u>L60</u>
<u>L59</u>	L58 and (content with layout with display\$)	362	<u>L59</u>	<u>L59</u>
<u>L58</u>	L57 or L56	124345	<u>L58</u>	<u>L58</u>
<u>L57</u>	715/(517,513,526,501.1,500).cccls.	124345	<u>L57</u>	<u>L57</u>
<u>L56</u>	(715/523).cccls.	0	<u>L56</u>	<u>L56</u>
<u>L55</u>	20050094206	2	<u>L55</u>	<u>L55</u>
<u>L54</u>	20060010375 20040100489 20030137522	5	<u>L54</u>	<u>L54</u>

DB=USPT; PLUR=YES; OP=OR

<u>L53</u>	L52 and (element\$1 or hierarch\$ or node\$1)	6	<u>L53</u>	<u>L53</u>
<u>L52</u>	L51 and (template\$1 or stylesheet\$)	6	<u>L52</u>	<u>L52</u>
<u>L51</u>	L50 and (XML or HTML)	6	<u>L51</u>	<u>L51</u>
<u>L50</u>	L49 and layout	7	<u>L50</u>	<u>L50</u>

DB=USPT,PGPB; PLUR=YES; OP=OR

<u>L49</u>	('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276' '20030229845' '20040153974' '20040176958' '20040205472')![pn]	11	<u>L49</u>	<u>L49</u>
------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------	----	------------	------------

DB=USPT; PLUR=YES; OP=OR

<u>L48</u>	5,475,805.pn.	1	<u>L48</u>	<u>L48</u>
<u>L47</u>	(6993711 6374273 5893127 5845299).pn.	4	<u>L47</u>	<u>L47</u>

DB=USOC; PLUR=YES; OP=OR

<u>L46</u>	6993711 (6374273 5893127 5845299).pn.	0	<u>L46</u>	<u>L46</u>
------------	---------------------------------------	---	------------	------------

DB=PGPB,USPT; PLUR=YES; OP=OR

<u>L45</u>	L44 and (stylesheet\$ with (defin\$ or specif \$) with element\$1)	4	<u>L45</u>	<u>L45</u>
<u>L44</u>	adapt\$ same layout same (document or hierarch\$ or structure or node)	2257	<u>L44</u>	<u>L44</u>

<u>L43</u>	L42 and L14	1	<u>L43</u>	<u>L43</u>
<u>L42</u>	L41 and L39	145	<u>L42</u>	<u>L42</u>
<u>L41</u>	(715/200 715/202 715/204 715/205 715/227 715/234 715/243 715/244 715/245 715/246 715/760)! [CCLS]	10462	<u>L41</u>	<u>L41</u>

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L40</u>	L39 and (condition\$1 same rule\$1 same layout same (element\$1 or attribute\$1))	13	<u>L40</u>	<u>L40</u>
<u>L39</u>	(defin\$ near3 (element\$1 or attribute\$1)) with layout	1351	<u>L39</u>	<u>L39</u>
<u>L38</u>	L14 and (layout same parameter\$1 same (display\$ or view\$ or render\$))	18	<u>L38</u>	<u>L38</u>
<u>L37</u>	L14 and (layout same parameter\$1)	33	<u>L37</u>	<u>L37</u>

DB=USPT; PLUR=YES; OP=OR

<u>L36</u>	L35 and defin\$	6	<u>L36</u>	<u>L36</u>
<u>L35</u>	L34 and (HTML or XML)	6	<u>L35</u>	<u>L35</u>
<u>L34</u>	L33 and (layout same (rule\$1 or condition \$1))	12	<u>L34</u>	<u>L34</u>
<u>L33</u>	L32 and layout	21	<u>L33</u>	<u>L33</u>
<u>L32</u>	L28 or L29	28	<u>L32</u>	<u>L32</u>
<u>L31</u>	L30 and (HTML or XML)	3	<u>L31</u>	<u>L31</u>
<u>L30</u>	L29 and (layout same (rule\$1 or condition \$1))	9	<u>L30</u>	<u>L30</u>
<u>L29</u>	(5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.	19	<u>L29</u>	<u>L29</u>

DB=USPT,PGPB; PLUR=YES; OP=OR

	('5060155' '5668966' '5864805' '5909667' '5956737' '6163785' '6424979' '6430624' '6825844' '20010021928' '20010054049' '20020016801' '20030004836' '20030101164' '20040034520' '20040034651' '20040078190' '20040186705' '20050102628')![pn]			
<u>L28</u>		19	<u>L28</u>	<u>L28</u>

DB=USPT; PLUR=YES; OP=OR

<u>L27</u>	(5,475,805 5903902 5956737 7,051276 6,993,711 7,120,868 7,272,789).pn.	7	<u>L27</u>	<u>L27</u>
------------	---------------------------------------------------------------------------	---	------------	------------

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L26</u>	L14 and ((defin\$ near5 (element\$1 or attribute\$1)) with ((description adj file) or HTML))	15	<u>L26</u>	<u>L26</u>
<u>L25</u>	(display adj description adj file) same HTML	0	<u>L25</u>	<u>L25</u>
<u>L24</u>	(display adj description adj file) with HTML	0	<u>L24</u>	<u>L24</u>
<u>L23</u>	L22 and layout	14	<u>L23</u>	<u>L23</u>
<u>L22</u>	L21 and (condition\$1 or rule\$1)	23	<u>L22</u>	<u>L22</u>
<u>L21</u>	L14 and ((defin\$ near5 (element\$1 or attribute\$1)) with (HTML or markup or XML))	35	<u>L21</u>	<u>L21</u>
<u>L20</u>	L19 and ((rule\$ or condition\$1) same (element\$ or attribute\$1))	24	<u>L20</u>	<u>L20</u>
<u>L19</u>	L18 and (table\$ same layout)	24	<u>L19</u>	<u>L19</u>
<u>L18</u>	L14 and ((rule\$1 or condition\$1) same ((alter\$ or chang\$ or edit\$ or modif\$) near3 table\$1))	34	<u>L18</u>	<u>L18</u>
<u>L17</u>	L14 and ((rule\$1 or condition\$1) same ((alter\$ or chang\$ or edit\$ or modif\$) near3 table\$1) same layout)	0	<u>L17</u>	<u>L17</u>
<u>L16</u>	L14 and ((table near5 (display\$ or render\$ or view\$)) same cell\$1 same location)	1	<u>L16</u>	<u>L16</u>

<u>L15</u>	L14 and ((web adj2 definition) same (XML or HTML))	2	<u>L15</u>	<u>L15</u>
<u>L14</u>	(display adj description\$1)	2279	<u>L14</u>	<u>L14</u>
	<i>DB=EPAB; PLUR=YES; OP=OR</i>			
<u>L13</u>	WO-2006046667-A1.did.	1	<u>L13</u>	<u>L13</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L12</u>	(display adj description\$1) same definition same (XML or HTML)	6	<u>L12</u>	<u>L12</u>
	<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L11</u>	5956737.pn.	1	<u>L11</u>	<u>L11</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L10</u>	((display adj description adj file) and (defin\$ near5 element\$1) and (condition\$ near5 layout\$1) and parameter\$1).clm.	0	<u>L10</u>	<u>L10</u>
<u>L9</u>	((specif\$ near2 display\$) and (description adj language) and (definit\$ near4 element\$1) and condition\$ and layout\$).clm.	1	<u>L9</u>	<u>L9</u>
<u>L8</u>	((child near3 element\$) and table\$1 and cell\$1 and (specif\$ near2 layout\$1) and (description adj file)).clm.	0	<u>L8</u>	<u>L8</u>
<u>L7</u>	((definit\$ near4 element\$1) and (condition\$ near2 satisf\$)and layout\$ and (description adj file\$1)).clm.	0	<u>L7</u>	<u>L7</u>
<u>L6</u>	((description adj file) and (definit\$ near4 element\$1) and condition\$ and layout\$1 and parameter\$ and control\$).clm.	0	<u>L6</u>	<u>L6</u>
<u>L5</u>	((display adj description adj file) and (definit\$ near5 element\$1) and layout\$1).clm.	0	<u>L5</u>	<u>L5</u>
<u>L4</u>	L1 and (element\$1 same condition\$)	28	<u>L4</u>	<u>L4</u>
<u>L3</u>	L1 and (definit\$ near5 element\$1)	3	<u>L3</u>	<u>L3</u>
<u>L2</u>	L1 and ((alternate adj layout\$1) same (display adj description adj language))	1	<u>L2</u>	<u>L2</u>
<u>L1</u>	(LABARGE or ZAIKA or CRIDER).inv.	321	<u>L1</u>	<u>L1</u>

END OF SEARCH HISTORY